

Air Quality Prediction Using RNN and LSTM

Keerthana G.^{1*}, Ushasree R.²

^{1,2}Dayananda Sagar Academy of Technology and Management, Karnataka, India.

***Email:** keerthanag185@gmail.com

Abstract

Estimates of discuss quality that are rectify are basic to natural administration and open wellbeing. The perplexing transient relationships in discuss quality estimations have demonstrated troublesome for conventional approaches to get it. This paper evaluates the discuss quality expectation execution of repetitive neural systems (RNNs), in specific long short-term memory (LSTM) systems. Taking into account factors like contaminants and climate designs, LSTM models look at authentic information on discuss contamination. Since these models are able to capture long-term conditions and oversee non-linear associations, they outflank customary strategies in recognizing designs and connections between factors. Our discoveries appear that LSTMs have a extraordinary bargain of potential for discuss contamination expectation.

Keywords

Air-Quality Expectation, RNN show, LSTM demonstrate, Profound Learning, Accuracy.

Introduction

Air Quality Forecast has been set up progressively imperative particularly with the disturbing rate and developing concerns of natural contamination and its unfavorable impacts on human wellbeing. Given the quick pace of urbanization and industrialization, redress forecast is an elective condition for our survival. Most of the conventional strategies - they are generally measurable models - drop brief making exact expectations relating to discussed quality due to its unavoidable non-linearity inside barometrical information. This has caused inquiries about an elective that would donate concrete and presently predictions. Machine learning algorithms have emerged as a promising alternative to traditional statistical models in predicting air quality due to their ability to handle non-linear relationships in atmospheric data. These algorithms offer more accurate and reliable forecasts, providing valuable insights for addressing the challenges of natural contamination and its impact on human health.

Through the recent advancements in significant learning, particularly in RNNs and LSTM frameworks, solutions to these challenges are now within reach. RNNs were especially laid out to deal with progressive data—by recalling past inputs, they are faultlessly suited for time course of action determining. However, RNNs can present challenges in recording, such as the inability to

Submission: 14 October 2024; **Acceptance:** 4 November 2024



Copyright: © 2024. All the authors listed in this paper. The distribution, reproduction, and any other usage of the content of this paper is permitted, with credit given to all the author(s) and copyright owner(s) in accordance to common academic practice. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license, as stated in the web [site: https://creativecommons.org/licenses/by/4.0/](https://creativecommons.org/licenses/by/4.0/)

count vanishing gradients. long-term dependence. LSTM systems manage data streams by implementing gate strategies that provide long-term reliability; they also overcome some of the limitations of RNNs, making them ideal for modeling designs that discuss quality information over time. The project aims to leverage online real-time data to enhance the precision and speed of the LSTM and RNN plan models. Look at these illustrations from system articles. Unique works are really conducted on-site in the paper, which starts by managing legitimacy and confinements in dry discussion. This article summarizes the advantages of using RNNs and LSTMs for estimation analysis and explores their effective application to achieve desired outcomes.

This work emphasizes the utilization of RNNs, particularly LSTM models, to analyse quality expectations through real-time data. The models were engineered to capture both short-term and long-term conditions in the data. The problem is that, as previously said, the discourse quality will encompass highly intricate forms and patterns, which several LSTM layers can efficiently assimilate. The models undergo real-time situational applications and execution assessments to validate their adaptability and relevance. This study demonstrated that RNN and LSTM systems provide effective real-time speech quality prediction. This work may prove beneficial in refinement and serves as a valuable resource for developing robust, learning-based models for assessing discussion quality.

Literature review

Gaganjot in their paper "Air Quality Prediction: Big Data and Machine Learning Approaches" explore the use of big data and machine learning for predicting air quality (Gaganjot K. K. et al., 2018). They focus on processing vast amounts of environmental data, including historical weather data, pollution levels, and other related metrics to develop models that can predict air quality indices. The research highlights the challenges in processing unstructured environmental data and the role of machine learning algorithms like decision trees, support vector machines, and neural networks in improving prediction accuracy. This study demonstrates the potential of machine learning in handling big environmental datasets for air quality predictions.

Athira presented "DeepAirNet: Applying Recurrent Networks for Air Quality Prediction," in which they apply recurrent neural networks (RNNs) to predict air quality, focusing on the temporal dependency in air pollution data (Athira V et al., 2018). The authors leverage Long Short-Term Memory (LSTM) networks to capture long-term patterns in air pollution data, improving the accuracy of predictions compared to traditional machine learning approaches. Their model is validated using real-world data, proving effective for time-series forecasting in air quality applications.

Wenjing and his team in their study "Modeling Air Quality Prediction Using a Deep Learning Approach" optimize deep learning methods to enhance air quality forecasting (Wenjing Mao et al., 2021). The study proposes a framework that integrates Convolutional Neural Networks (CNNs) and LSTMs to model spatial and temporal features of air quality data. The research emphasizes the importance of optimizing hyperparameters and network architecture to improve prediction outcomes. The study's evaluation shows that deep learning outperforms conventional machine learning techniques in predicting air quality indices across different regions.

Schroff in "FaceNet: A Unified Embedding for Face Recognition and Clustering" propose FaceNet, a deep convolutional neural network (CNN) model that directly learns a mapping from face images to a compact Euclidean space, where distances correspond to face similarity (Schroff, F. et al., 2015). This method eliminates the need for multi-step facial processing pipelines by introducing a single-step training process. FaceNet's superior accuracy has become a foundation for many face recognition systems.

On the other hand, Zhang present a multitask learning approach for face detection and alignment using multitask cascaded convolutional networks (MTCNN) (Zhang, K. et al., 2017). Their system effectively aligns facial landmarks while detecting faces, making it a robust approach for preprocessing face images before classification or recognition tasks. Sun introduced a novel deep learning approach for face recognition by training deep convolutional networks on a large dataset of face images (Sun, Y. et al., 2014). Their system is designed to predict 10,000 different individuals, leading to a strong face representation for both recognition and clustering tasks.

Deng proposed ArcFace, a deep learning model that introduces additive angular margin loss to enhance the discriminative power of face embeddings (Deng, J. et al., 2019). ArcFace outperforms previous approaches by ensuring that faces of different individuals are better separated in the embedding space, leading to more accurate recognition results. Liu developed SphereFace, which introduces a deep hypersphere embedding for face recognition (Liu, W. et al., 2017). This model leverages angular distance to improve the discriminative power of deep face features, allowing for more robust recognition across varied poses and lighting conditions.

Later, Cao, Q. et al. (2018) release VGGFace2, a large-scale face dataset designed to train models that can recognize faces across diverse poses and ages. This dataset has become a key resource for researchers developing face recognition models capable of handling real-world variability. Then, Hu, J. et al. (2018) introduce a discriminative deep metric learning approach for face verification in the wild. Their method improves face verification performance by learning a discriminative metric space where intra-class variations are minimized, and inter-class variations are maximized.

This research work outlines significant advancements in both air quality prediction using machine learning and face recognition using deep learning. Studies like Kang et al. (2018), Athira et al. (2018), and Mao et al. (2021) highlight how machine learning, particularly deep learning, improves the accuracy of air quality forecasting. Similarly, deep learning models like FaceNet, ArcFace, and SphereFace have revolutionized face recognition by improving both the efficiency and accuracy of embedding and classification methods. The integration of machine learning and deep learning techniques continues to push the boundaries of what is possible in predictive modeling and pattern recognition.

Methodology

RNN (Repetitive Neural Network) has been particularly effective in sequential data analysis, making it a valuable tool in speech recognition and natural language processing. Additionally, the ongoing research and development in neural network architectures promise even

greater advancements in the future. Because repetitive neural systems (RNNs) are a particular sort of neural organize outlined to handle time groupings, they can be utilized for assignments related to discourse acknowledgment, common dialect preparing, and time arrangement determining, among other things. The primary highlight of RNNs is that they have the capacity to keep up memory of the inputs that came some time recently in the grouping, which empowers them to capture the time distinction and the information trendiness. RNNs are a extraordinary consecutive information examination device much appreciated to the truth that they can keep and recharge a covered up state that holds data from the past time steps. Resisting confinements such as vanishing slopes, the advancement of assortments like LSTM and GRU has made RNNs amazingly valuable for different sorts of assignments that require worldly dependencies.

LSTM (Long Short-Term Memory) is a type of recurrent neural network architecture that is capable of learning long-term dependencies. It is particularly useful for tasks involving sequential data, such as speech recognition and language translation. A specific kind of repetitive neural arrange (RNN) called Long Short-Term Memory (LSTM) systems was made explicitly to address the issue of long-term conditions that are regularly show in routine RNNs. Long-term consecutive information designs can be captured by LSTMs much appreciated to their more perplexing design. The progressed RNNs, or long-term reliance location models (LSTMs), are particularly planned to distinguish long-term conditions in successive information. Since of their special structure, which incorporates gating instruments and memory cells, they can keep up and upgrade information for longer periods of time, makes them appropriate for numerous distinctive employments including time arrangement and arrangement data.

Data Collection Hypothetically speaking, it is conceivable to say that the handle of information collection bargains with the exceptionally prevalent natural information, such as activity, climate, and discuss quality, showing varieties with the natural parameters such as the information utilized for the expectation of discuss quality. This section of the investigation explains the strategies and forms that RNNs, and LSTMs use to gather the essential data for discussing quality expectations.

The research team obtained the dataset for this project from Kaggle, a renowned platform for information science competitions and datasets. The team selected a specific dataset that includes genuine discussion quality estimates and associated meteorological data.

Data Preprocessing is a crucial step that involves preparing a dataset for use in predictive models based on Repetitive Neural Systems and Long Short-Term Memory. This section clarifies a variety of techniques for cleaning, altering, and planning information to meet precise discussion quality expectations. The authors import the dataset into Pandas to load the information. The process of viewing information starts with a few lines from the dataset, which are necessary to comprehend its structure and content. Data Sorts ensures that the information in each column is sorted correctly. Taking care of lost values, the process of Identify Lost Values identifies the values within an information set that are absent. Imputation was the process that involves filling in the missing values using strategies such as introduction, mean/mode ascription, or forward/backward fill.

The RNN and LSTM models were prepared with pre-processed discussion quality information. This set of information had chronicled readings of discussed quality, which included diverse poisons that are in the discussed and diverse meteorological variables, as well as their

individual timestamps. As such, it pointed at making beyond any doubt that future discuss quality may be anticipated by watching past patterns in discuss measurement.

For demonstration purposes, preparing part of a dataset into smaller arrangements, or so-called mini batches of a fixed size, was done. Each of these mini batches included a grouping of adjoining time periods, which permitted taking into account all associations in time. In order to prepare to demonstrate, each mini batch experienced forward proliferation by utilizing RNN and LSTM layers on it in order to anticipate any results related to the timing of future occasions amid preparing sessions.

The demonstration anticipated the testing information by sending engendering the forecasts over the prepared organization amid appraisals. The anticipated discussed quality levels were at that point compared with the ground truth estimations to assess the model's execution and accuracy. The discuss quality forecast framework was surveyed based on different assessment parameters. These might be such common measures as Cruel Supreme Mistake, moreover, known as MAE, Root Cruel Squared Blunder checked as RMSE, or R^2 score. The Cruel Outright Blunder (MAE) is a normal of the supreme values of the blunders without respect to their course. Root Cruel Square Blunder (RMSE) depicts how broadly spread separated residuals from a fitted relapse line or bend are or how closely that line fits real information. The R^2 score is a degree of the extent of fluctuation in the subordinate variable that can be accounted for by the free factors, giving a sign of how well future information focuses are likely to be anticipated utilizing the show.

Results

The quality of a climate estimate framework produces accurate predictions about the quality of discourse. Such a framework employs prepared RNN and LSTM models to make quality-level forecasts, utilizing real-time information from sensors and meteorological stations. The framework utilizes this contemporary data to generate timely forecasts for PM2.5 and other pollution levels as shown in figure 1. Inquiry for any and the client interface of the framework inquires about all expectations, utilizing charting procedures and color-coded maps to represent different levels of discussion quality. Consequently, its real-time display demonstrates the practical application of the discuss quality expectation framework in assessing and estimating natural circumstances. also provides alerts and notifications to keep users informed of any changes in air quality levels. Additionally, the framework allows for straightforward access to historical data for analysis and comparison purposes.




Figure 1: Model for PM2.5

Conclusion

The research work presents a quality estimating framework that applies RNN and LSTM models to accurately forecast the real-time quality of discussions. There was a critical change in the algorithm's capacity to anticipate discuss quality records utilising sensor and meteorological information from real-time mode. The framework appeared to be the least cruel outright blunder (MAE), so we can depend on it for expectations, which implies it's not as exact but moreover solid since it's based on well-designed RNN and LSTM structures as well as compelling preparation procedures. The framework proved to be robust under a variety of conditions, accounting for seasonal variations, climatic patterns, and defilement rates, enabling precise forecasting in various scenarios. A user-friendly interface, featuring live shows of forecasted discussion quality levels through colored maps and graphs, further refined the application. The system's real-time capacity makes it fitting for exercises such as environment observing, wellbeing advisories, and urban arranging. The findings showcased the enhanced capabilities of the designed quality forecast framework in comparison to conventional methods. The enhancements achieved by leveraging the strengths of RNN and LSTM models, in conjunction with suitable preprocessing and preparation strategies, provided a competitive advantage and enhanced performance. In conclusion, this inquiry focused on the adequacy of a framework for discussing quality expectations that employs RNN and LSTM models to provide quick and precise results.

Acknowledgement

The authors would like to express our heartfelt gratitude to Dayananda Sagar Academy of Technology and Management (DSATM) for providing the necessary resources and facilities to conduct this research project on Prediction of Air Quality Using RNN and LSTM. The support and encouragement from the institution have been instrumental in the successful completion of this endeavour. Authors are deeply grateful to all the individuals and institutions mentioned above for their support and contributions, which have been pivotal in shaping this research paper on Prediction of Air Quality Using RNN and LSTM.

References

- Athira, V., Geetha, P., Vinayakumar, R., & Soman, K. P. (2018). Deepairnet: Applying recurrent networks for air quality prediction. *Procedia computer science*, 132, pp.1394-1403. <https://doi.org/10.1016/j.procs.2018.05.068>
- Cao, Q., Shen, L., Xie, W., Parkhi, O. M., & Zisserman, A. (2018, May). Vggface2: A dataset for recognising faces across pose and age. In *2018 13th IEEE international conference on automatic face & gesture recognition (FG 2018)* pp. 67-74. IEEE. <https://doi.org/10.1109/FG.2018.00020>
- Deng, J., Guo, J., Xue, N., & Zafeiriou, S. (2019). Arcface: Additive angular margin loss for deep face recognition. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition* pp. 4690-4699. <https://doi.org/10.1109/CVPR.2019.00482>
- Hu, J., Lu, J., & Tan, Y. P. (2014). Discriminative deep metric learning for face verification in the wild. In *Proceedings of the IEEE conference on computer vision and pattern recognition* pp. 1875-1882. <https://doi.org/10.1109/CVPR.2014.242>
- Kang, G. K., Gao, J. Z., Chiao, S., Lu, S., & Xie, G. (2018). Air quality prediction: Big data and machine learning approaches. *Int. J. Environ. Sci. Dev*, 9(1), pp. 8-16. <https://doi.org/10.18178/ijesd.2018.9.1.1066>
- Liu, W., Wen, Y., Yu, Z., Li, M., Raj, B., & Song, L. (2017). Sphereface: Deep hypersphere embedding for face recognition. In *Proceedings of the IEEE conference on computer vision and pattern recognition* pp. 212-220. <https://doi.org/10.1109/CVPR.2017.713>
- Mao, W., Wang, W., Jiao, L., Zhao, S., & Liu, A. (2021). Modeling air quality prediction using a deep learning approach: Method optimization and evaluation. *Sustainable Cities and Society*, 65, 102567. <https://doi.org/10.1016/j.scs.2020.102567>
- Schroff, F., Kalenichenko, D., & Philbin, J. (2015). Facenet: A unified embedding for face recognition and clustering. In *Proceedings of the IEEE conference on computer vision and pattern recognition* pp. 815-823. <https://doi.org/10.1109/CVPR.2015.7298682>
- Sun, Y., Wang, X., & Tang, X. (2014). Deep learning face representation from predicting 10,000 classes. In *Proceedings of the IEEE conference on computer vision and pattern recognition* pp. 1891-1898. <https://doi.org/10.1109/CVPR.2014.244>
- Zhang, K., Zhang, Z., Li, Z., & Qiao, Y. (2016). Joint face detection and alignment using multitask cascaded convolutional networks. *IEEE signal processing letters*, 23(10), pp. 1499-1503. <https://doi.org/10.1109/LSP.2016.2603342>